

PTM MAKİNE®

DPF (Particle), Catalyzer & Exhaust Systems Machine Manufacture

THE WORLD'S SAFEST AND FASTEST DPF CLEANING SYSTEM

ALWAYS
ONE STEP
AHEAD WITH
TECHNOLOGY!

TEKNOLOJİMİZ İLE
HEP BİR ADIM
ÖNDEYİZ!



PTM ile
%100
DPF Temizleme

with PTM
%100
DPF Cleaning

DAHA
YAŞANABİLİR
BİR DÜNYA İÇİN



FOR A MORE
LIVABLE
WORLD



1960 yılında Kürkçüoğlu Egzoz olarak başladı egzoz serüvenimiz. 2018 yılında PTM Makine olarak güncellenen firmamız 2011 yılından bugüne DPF Dizel Partikül Filtresi Temizleme Makinesi üretimi konusunda uzmanlaşmıştır. Aynı zamanda bulunduğumuz bölgede DPF Temizleme hizmetini de sunarak bitmeyen bir AR-GE ile makinemizi geliştirdik. Bu sayede teknik bilgisini de sürekli güncelleyen firmamız tüm müşterilerine 7/24 teknik bilgi desteği sunma avantajı elde etmiştir. Bugün 16 ülkede ülkemizi temsil etmenin mutluluğu ile yolumuza devam etmekteyiz.

İlk günden bugüne değişmeyen tek kuralımız;

Müşteri Memnuniyetidir.

Our exhaust adventure started in 1960 with the name of Kürkçüoğlu Exhaust. Our company, which was updated as PTM Makine in 2018, has specialized in the production of DPF Diesel Particulate Filter Cleaning Machine since 2011. At the same time, we have developed our machine with an endless R&D by offering DPF Cleaning service in our region. In this way, our company, which constantly updates its technical information, has gained the advantage of providing 24/7 technical information support to all its customers. Today, we continue on our way with the happiness of representing our company in 16 countries.

Our only rule that has not changed since the first day;

Customer Satisfaction

Sertifikalarımız / Our Certificates



IF YOU USE DIESEL VEHICLES, YOU MUST KNOW THESE!

DPF

Dizel Partikül Filtresi



We recommend
DPF Cleaning at
both oil changes for
fuel economy and
good engine
performance!

What is a DPF Particulate Filter?

The Diesel Particulate Filter is a part in the exhaust system that is designed to reduce emissions of Hydrocarbons (HC), Carbon Monoxide (CO) and collects particles from engine gases to minimize the release of particles into the air. Soot Particles accumulate within the DPF channels and are regularly incinerated to prevent the filter from clogging. This process is called Regeneration. Because regeneration is not possible, in case of clogging, cleaning or high-cost replacement parts are required.

Why Is It Clogged?

- Faults in the EGR Valve
- Using the Wrong Engine Oil
- Faults in Turbo
- Using of Low Quality Fuel
- Long Time Driving at Low Speed and in Stop-and-go Traffic

What are the Symptoms?

- DPF Fault Lamp On Dashboard
- Loss of Power of The Vehicle
- Increased Fuel Consumption
- Increased Idle Speed
- Continuous operation of The Fan
- Continuous Black Smoke



If the Diesel Particulate Filter and the engine fault lamp come on at the same time, more serious problems may have occurred. In order to solve these faults, the "Diesel Particulate Filter" must be cleaned or a new one must be installed at high cost.

DPF CLEANING WITH PTM4019

PTM4019 DPF SMART, with many years of experience and successful results in **thousands of vehicles**, cleans particles close to 100% without making any changes to the original system of the vehicle, even if it is completely clogged, and ensures that the vehicle **returns to full performance for a long time**.

AFTER DPF CLEANING PROCESS

Recovered

- Engine Performance
- Fuel Economy
- High Engine Power
- Extended Engine Life
- Exhaust Emission Rates



PTM4019, UNIQUE AND FINAL SOLUTION FOR ALL DIESEL VEHICLES

PTM4019 DPF SMART PLUS is our 7th generation new machine, which is the result of more than 14 years of machine production. We are stronger now with a more practical, more advanced and smarter machine. With the PTM4019 DPF SMART PLUS, cleaning of all automobiles and heavy-duty vehicles can be done in a short time with full success.

PTM4019 DPF SMART PLUS



DPF Cleaning Section of Large Vehicles Such as Buses, Trucks, Construction Machines

With 10" Touch Screen Easy Operation

Occupancy Test Measurement and Printout

Contaminated Waste Control with Intelligent Filtering System



All Processes and Controls in 7 different languages. Turkish, German, English, Italian, French, Russian, Dutch



Environmentally friendly use with PTM4019 DPF ECO without waste water in DPF Cleaning system

Dimensions
Width: 165cm, Height: 240cm,
Depth: 100cm, Weight: 480Kg.

Easy Portable Ergonomic Design

✓ **We Do Not Use Hot Water**
We do not need water heating, we save both electricity and time. Cleaning starts after the opening of our machine.

✓ **We Do Not Use Acid Based Chemical**
Nano Technology, our special cleaning liquid with solvent feature provides fast and complete dissolution. It does not harm ceramic.

✓ **We do not Damage to DPF**
After cleaning close to 100%, we do protect the normal functioning of the DPF.

With PTM4019 and Nano Technology Cleaning Liquid %100 Results, %100 Guarantee


► PTM4019 SMART PLUS - New Model Details



Cleaning Liquid Section




Wastewater Filtering Section



Truck Cleaning Section With Pnomatic System



Exclusive, Unique DPF Connection System



Amazing Results in Just 19 Minutes



Special Machine For Your Service With Color Options

With PTM4019, Maximum Fuel Saving, Increased Traction Power, Tidy Operation of Turbo is Provided

PTM4019, BIGGER, SMARTER AND EASY WITH NEW MODEL

PTM4019 DPF SMART is our 6th generation machine produced as a result of more than 40 years of expertise in exhaust systems and 14 years of Development activities. Our machine is produced for the purpose of cleaning Diesel Particulate Filter and Catalytic Converters of all light commercial vehicles and automobiles. Unmatched results have been achieved in thousands of vehicles in these 14 years.



PTM4019 DPF SMART



Apparatus Set You Can Mount
All Brand Model Tools

Dimensions
Size: 125cm, Height: 240cm,
Depth: 90cm, Weight: 430Kg.

Occupancy Test Measurement
and Test Measurement Receipt
Printing

The Machine Performs
Dirty Waste Control Automatically
with New Filtering System



Easy Portable
Ergonomic Design



All Processes and Controls
in 7 different languages.
Turkish, German, English,
Italian, French, Russian, Dutch

Easy to Use with
10" Touch Screen



Environmentally friendly
use with PTM4019 DPF
ECO without waste water in
DPF Cleaning system



We Do Not Use Hot Water

Since we do not need water heating, we save both electricity and time. Our machine is ready to clean after opening.



We Do Not Use Acid-Based Chemicals

Our Special Cleaning Fluid, which has nanotechnology, solvent feature, provides fast and complete dissolution. It does not damage ceramics and precious metals.



We Do Not Damage DPF

DPF continues to work normally, although it cleans almost 100% after the cleaning process. After cleaning, the vehicle runs for a long time without malfunction as if a new DPF was installed.

100% Result, 100% Guarantee with PTM4019 and Nano Technology Cleaning Fluid

► PTM4019 DPF SMART - Operation Panel and Details



Cleaning Programs
DPF: For All Cars and Light Commercial Vehicles
CAT: For Diesel Catalytic Converter Cleaning
VAN: For Trucks up to 3.5 Tons



Updated Software and Added New Features



Comfortable Use with 180 Cm Indoor Height



Auto Opening Cleaning Liquid and Waste Filter Section



History Cleaning Information With Reports Screen



Amazing Results in Just 19 Minutes



Special Machine For Your Service With Color Options

With PTM4019, Maximum Fuel Saving, Increased Traction Power, Tidy Operation of Turbo is Provided

PTM4019, ONE STEP AHEAD WITH TECHNOLOGY

PTM4019 DPF TOTAL is our 4th generation machine that has emerged as a result of more than 40 years of exhaust systems expertise and R & D activities exceeding 14 years. Our machine is produced for cleaning of Diesel Particulate Filter and Catalytic Converters of all light commercial vehicles with automobiles. In these 14 years, unique results have been obtained in thousands of vehicles.



PTM4019 DPF TOTAL

Air, Water and Cleaning
Liquid Inputs



All Processes and Controls
in 7 different languages.
Turkish, German, English,
Italian, French, Russian, Dutch

With 7" Touch Screen
Easy Operation

Occupancy Test Measurement
and Printout

Waste Sediment Tank

Contaminated Waste
Control with
Filtering System



DPF Mounting Kit for
All Brand Model Cars

Dimensions
Width: 110cm, Height: 210cm,
Depth: 80cm, Weight: 220Kg.



Dizel Partikül Temizleme Makinesi



www.ptm4019.com Watch detailed usage videos on our website.



We Do Not Use Hot Water

We do not need water heating, we save both electricity and time. Cleaning starts after the opening of our machine.



We Do Not Use Acid Based Chemical

Our nano technology special cleaning liquid with solvent feature provides fast and complete dissolution. It does not harm ceramic.



We Do Not Damage to DPF

After cleaning close to 100%, we do protect the normal functioning of the DPF.

With PTM4019 and Nano Technology Cleaning Liquid %100 Results, %100 Guarantee

► PTM4019 DPF TOTAL - Device Usage Panel and Details



Filter Fixing Device



Air Outlet

Water Outlet



Particles After Cleaning



Occupancy Test Measurement and Printout



Cleaning Liquid and Sediment Filter



Sediment Water Waiting Tank

With PTM4019, Maximum Fuel Saving, Increase of Traction Power, Healty Working of Turbo is Ensured

PTM4019 CLASSIC, ECONOMIC AND SUCCESSFUL SOLUTION

The PTM4019 Classic is an easy, fast and economical machine that allows you to clean up to 100% in as little as 19 minutes by starting the process after installing the DPF in the machine.



PTM4019 DPF CLASSIC



DPF Mounting Kit For
All Brand Model Cars

Dimensions
Width: 110cm, Height: 210cm,
Depth: 80cm, Weight: 220Kg.



Air, Water and Cleaning
Liquid Inputs

Water Pressure
Air Pressure

Digital Screen That Showing
Processes

Waste Sediment Tank

Contaminated Waste Control
With Filtering System

Easy Portable
Ergonomic Design



www.ptm4019.com Watch detailed usage videos on our website.



We Do Not Use Hot Water

We do not need water heating, we save both electricity and time. Cleaning starts after the opening of our machine.



We Do Not Use Acid Based Chemical

Nano Technology, our special cleaning liquid with solvent feature provides fast and complete dissolution. It does not harm ceramic.



We do not Damage to DPF

After cleaning close to 100%, we do protect the normal functioning of the DPF.

With PTM4019 and Nano Technology Cleaning Liquid %100 Results, %100 Guarantee

► PTM4019 - Machines Setup



Install the liquid loading motor in the cleaning liquid bottle.



Place the canister at the bottom of the machine and mount the hose and cable coming out of the canister to the cleaning fluid inlet and the 12V inlet.



Install one end of the water hose to the water inlet behind the machine and the other end to the mains tap.



The installation is complete after installing the air hose to the air inlet behind machine and plugging the machine socket.

Air pressure is between 5 and 10 bar, water pressure is between 3 and 10 bar. A minimum 50L compressor is sufficient at air pressure.

► PTM Machines Special Cleaning Liquid

PTM4019 Special Cleaning Liquid is produced by **Nano Technology** and it enables the particles which clogging by the penetration to the channels being smaller than 1mm of particle filter do **dissolve in a ratio around %100**. There is no interference in the particle filter which is installed on the machine without damaging the original system and the cleaning liquid does **not have any harmful effects** to the filter, which may occur in future.

PTM DPF Cleaning Machines is designed to work **coordinately** with this special cleaning liquid and **can not be used with different cleaning materials**. You can safely obtain the special cleaning liquid at any time from our firm under appropriate conditions.



► PTM Machines Error Messages

! Liquid Level Falls

- Message indicating that the cleaning fluid has decreased

! Liquid Pressure Low

- Message indicating that the electric jack from the cleaning fluid canister has disappeared

! Liquid Completed Liquid Dispensing

- Cleaning fluid is required. The machine will not start without cleaning fluid.

! Air Pressure Low

- Message that appears when the air pressure is below the 4.5 bar or when there is no air pressure

! Water Pressure Low

- Message below the 2,5 bar indicating that the water pressure is off.

With PTM DPF Cleaning Machines, You Will Find The Definitive Solution of DPF Failures!

PTM4019, TM DİZEL ARAÇLAR İÇİN TEK VE KESİN ÇÖZM

PTM4019 DPF SMART PLUS, 14 yılı aşan makine üretiminin sonucunda ortaya çıkan 7. nesil yeni makinemiz. Daha pratik, daha gelişmiş ve daha akıllı bir makine ile şimdi daha güçlüyüz. PTM4019 DPF SMART PLUS ile tüm otomobil ve ağır vasıta araçların temizliği kısa sürede, tam başarı ile yapılabiliyor.

PTM4019 DPF SMART PLUS



Tm Otobs, Kamyon, Tır, İş Makinesi Gibi Büyük Araçların, Tm Otomobil ile Hafif Ticari Araçların Kısacası Tm DPF'lerin Temizlenebileceđi Bölm

10" Dokunmatik Ekran ile Kolay Kullanım

Doluluk Test Ölçümü ve Makbuz Yazdırma

Akıllı Filtreleme Sistemi ile Kirlı Atık Kontrolü ve Dođaya Zarar Vermeyen Sonuç



✓ **Sıcak Su Kullanmıyoruz**
Su ısıtma ihtiyacımız olmadığı için hem elektrik hemde zaman tasarrufu sağlıyoruz. Makinemiz açılışının ardından temizlemeye başlamaktadır.

✓ **Asit Bazlı Kimyasal Kullanmıyoruz**
Nano teknoloji, çözcü özelliđi olan Özel Temizleme Sıvımız hızlı ve tam çözlme sağlar. Seramiđe ve değerli metallere zarar vermez.

✓ **DPF'e Zarar Vermiyoruz**
Temizleme işlemi sonrası %100'e yakın oranda temizlemekle beraber, DPF'in normal işlevlerinde kayba neden olmuyoruz.

Tm işlemleri ve Kontrolleri 7 Farklı Dilde Seslendirme Türkçe, Almanca, İngilizce, İtalyanca, Fransızca, Rusça, Flemenkçe



PTM4019 DPF ECO ile atık su olmadan DPF temizleme sistemi ile dođa dostu kullanım

Kolay Taşınabilir Ergonik Tasarım

Ölçüler
Boy: 165cm, Yükseklik: 240cm,
Derinlik: 100cm, Ağırlık: 480Kg.

PTM4019 ve Nano Teknoloji Temizleme Sıvısı ile %100 Sonuç, %100 Garanti

► PTM4019 SMART PLUS - Yeni Modelimizin Detayları



Temizleme Sıvısı Alanı




Atık Su Filtreleme Bölümü



Pnömatik Sistem Ağır Vasıta Temizleme Bölümü



Benzersiz, Özgün DPF Temizleme Sistemi



Sadece 19 Dakikada Şaşırtıcı Temizleme Sonuçları



Renk Seçenekleri ile Servisinize Özel Makine

PTM4019 ile Maksimum Yakıt Tasarrufu, Çekiş Gücünün Artması, Turbonun Sağlıklı Çalışması Sağlanır!

PTM4019, ŞİMDİ DAHA BÜYÜK, DAHA AKILLI, DAHA KOLAY!

PTM4019 DPF SMART, 40 yılı aşan süredir egzoz sistemleri uzmanlığı ve 14 yıl süreden Ar-Ge faaliyetlerinin sonucunda ortaya çıkan 6. nesil makinemizdir. Makinemiz tüm hafif ticari araçlar ile otomobillerin Dizele Partikül Filtresi ve Katalitik Konvertörleri temizlemesi amacı ile üretilmiştir. Bu 14 yılda binlerce araçta eşsiz sonuçlar elde edilmiştir.



PTM4019 DPF SMART



Tüm Marka Model Araçları
Monte Edebileceğiniz
Aparat Takımı

Ölçüler
Boy: 125cm, Yükseklik: 240cm,
Derinlik: 90cm, Ağırlık: 400Kg.

Atık Filtreleme Sistemi ile
Kırlı Atık Kontrolü Daha
Kolay, Daha Sistematik

Doluluk Test Ölçümü ve
Test Ölçümleri Makbuzu
Yazdırma



Kolay Taşınabilir
Ergonomik Tasarım



Tüm İşlemleri ve Kontrolleri
7 Farklı Dilde Seslendirme
Türkçe, Almanca, İngilizce,
İtalyanca, Fransızca, Rusça,
Flemenkçe

10" Dokunmatik Ekran ile
Kolay Kullanım



PTM4019 DPF ECO ile
atık su olmadan DPF
temizleme sistemi ile
doğru dostu kullanım



Sıcak Su Kullanmıyoruz

Su ısıtma ihtiyacımız olmadığı için hem elektrik hemde zaman tasarrufu sağlıyoruz. Makinemiz açılışının ardından temizlemeye başlamaktadır.



Asit Bazlı Kimyasal Kullanmıyoruz

Nano teknoloji, çözücü özelliği olan Özel Temizleme Sıvımız hızlı ve tam çözümlere sağlar. Seramiğe ve değerli metallerle zarar vermez.



DPF'e Zarar Vermiyoruz

Temizleme işlemi sonrası %100'e yakın oranda temizlemekle beraber, DPF'in normal işlevlerinde kayba neden olmuyoruz.

PTM4019 ve Nano Teknoloji Temizleme Sıvısı ile %100 Sonuç, %100 Garanti

► PTM4019 DPF SMART - Kullanım Paneli ve Detaylar



Temizleme Yapılacak Bölüm Seçimi
DPF: Tüm Otomobiller ve Hafif Ticari Araçlar İçin
CAT: Dizel Katalitik Konverter Temizliği İçin
VAN: Kamyonet Sınıfında Büyük DPF'ler İçin

Toplam Temizleme Süresi

Bilgi Alanı

Su Basıncı Göstergesi



Temizleme Programı

Kalan Süre 0 : 0

Temizleme Öncesi ve Sonrası Doluluk Ölçümü

PTM4019 DPF SMART

Otomobil ve Hafif Ticari

% 0
Temizleme Öncesi

% 0
Temizleme Sonrası



Hava Basıncı Göstergesi

Temizlenen Araç Plakası

Temizleme İşlemi Başlatma ve Durdurma Butonları



Temizleme Sıvısı Mıktarı

Atık Su Filtreleme Tankları

Ayarlar

Başlat

Durdur



Yenilenen Arayüz ile Eklenen Yeni Özellikler



180cm'ye Ulaşan İç Mekan ile Rahat Kullanım



Otomatik Açılan Sıvı ve Atık Su Bölümü



Raporlar Ekranı ile İşlemler Kayıt Altında



Sadece 19 Dakikada Şaşırtan Sonuçlar



Renk Seçenekleri ile Servisinize Özel Makine

PTM4019 ile Maksimum Yakıt Tasarrufu, Çekiş Gücünün Artması, Turbonun Sağlıklı Çalışması Sağlanır!

PTM4019, TEKNOLOJİSİ İLE HEP BİR ADIM ÖNDE!

PTM4019 DPF TOTAL, 40 yılı aşan süredir egzoz sistemleri uzmanlığı ve 14 yıl süreden Ar-Ge faaliyetlerinin sonucunda ortaya çıkan 4. nesil makinemizdir. Makinemiz tüm hafif ticari araçlar ile otomobillerin Dizel Partikül Filtresi ve Katalitik Konvertörleri temizlemesi amacı ile üretilmiştir. Bu 14 yılda binlerce araçta eşsiz sonuçlar elde edilmiştir.



PTM4019 DPF TOTAL



Tüm Marka Model Araçları
Monte Edebileceğiniz
Aparat Takımı

Ölçüler
Boy: 110cm, Yükseklik: 210cm,
Derinlik: 80cm, Ağırlık: 220Kg.



7" Dokunmatik Ekran ile
Kolay Kullanım

Tüm İşlemleri ve Kontrolleri
7 Farklı Dilde Seslendirme
Türkçe, Almanca, İngilizce,
İtalyanca, Fransızca, Rusça,
Flemenkçe

Doluluk Test Ölçümü ve
Test Ölçümleri Makbuzu Yazdırma

Atık Tortu Deposu

Filtreleme Sistemi ile
Kirliliği Kontrolü ve
Doğaya Zarar Vermeyen
Sonuç

www.ptm4019.com websitemizden detaylı kullanım videolarını izleyiniz.

✓ **Sıcak Su Kullanmıyoruz**
Su ısıtma ihtiyacımız olmadığı için hem elektrik hemde zaman tasarrufu sağlıyoruz. Makinemiz açılışının ardından temizlemeye başlamaktadır.

✓ **Asit Bazlı Kimyasal Kullanmıyoruz**
Nano teknoloji, çözücü özelliği olan Özel Temizleme Sıvımız hızlı ve tam çözülme sağlar. Seramiğe ve değerli metallere zarar vermez.

✓ **DPF'e Zarar Vermiyoruz**
Temizleme işlemi sonrası %100'e yakın oranda temizlemekle beraber, DPF'in normal işlevlerinde kayba neden olmuyoruz.

PTM4019 ve Nano Teknoloji Temizleme Sıvısı ile %100 Sonuç, %100 Garanti

► PTM4019 DPF TOTAL - Cihaz Kullanım Paneli ve Detaylar



Filtre Sabitleme Aparatı



Hava Çıkışı

Su Çıkışı



Temizleme Sonrası Kalan Partiküller



Doluluk Test Ölçümü Makbuzu



Temizleme Sıvısı ve Atık Su Filtresi



Atık Su Bekleme Tankı

PTM4019 ile Maksimum Yakıt Tasarrufu, Çekiş Gücünün Artması, Turbonun Sağlıklı Çalışması Sağlanır!

PTM4019 CLASSIC, EKONOMİK VE BAŞARILI ÇÖZÜM

PTM4019 Classic, DPF'i makineye monte ettikten sonra işlemi başlatmanızla 19 dakika gibi kısa bir sürede %100'e yakın oranda temizleme sağlayan kolay, hızlı ve ekonomik makinemiz.



PTM4019 DPF CLASSIC



Tüm marka model araçları monte edebileceğiniz aparat takımı

Ölçüler
Boy: 110cm, Yükseklik: 210cm,
Derinlik: 80cm Ağırlık: 220Kg.



Hava, Su ve Temizleme Sıvısı Girişleri

Su Basıncı
Hava Basıncı

İşlemleri Gösteren Dijital Ekran

Atık Tortu Deposu

Filtreleme Sistemi ile
Kırlı Atık Kontrolü ve Doğaya
Zarar Vermeyen Sonuç

Kolay Taşınabilir
Ergonik Tasarım

www.ptm4019.com websitemizden detaylı kullanım videolarını izleyiniz.



Sıcak Su Kullanmıyoruz

Su ısıtma ihtiyacımız olmadığı için hem elektrik hemde zaman tasarrufu sağlıyoruz. Makinemiz açılışının ardından temizlemeye başlamaktadır.



Asit Bazlı Kimyasal Kullanmıyoruz

Nano teknoloji, çözücü özelliği olan Özel Temizleme Sıvımız hızlı ve tam çözümlere sağlar. Seramiğe ve değerli metallere zarar vermez.



DPF'e Zarar Vermiyoruz

Temizleme işlemi sonrası %100'e yakın oranda temizlemekle beraber, DPF'in normal işlevlerinde kayba neden olmuyoruz.

PTM4019 ve Nano Teknoloji Temizleme Sıvısı ile %100 Sonuç, %100 Garanti

► PTM4019 - Makine Kurulumu



Temizleme Sıvısı bidonuna sıvı motorunu monte ediniz.



Makinenin alt bölümüne bidonu yerleştirip temizleme sıvısı girişi ile 12V girişine bidondan çıkan hortum ve kabloyu monte ediniz.



Su hortumunun bir ucunu makine arkasındaki su girişine, diğer ucunu şebeke musluğuna monte ediniz.



Hava hortumunu makinenin arkasındaki hava girişine monte edip, makine prizini fişe taktıktan sonra kurulum tamamlanmıştır.

Hava basıncı için 5 ile 10 bar arası, Su basıncı için 3 ile 10 bar arası basınç gereklidir. Hava basıncında minimum 50L'lik bir kompresör yeterlidir.

► PTM Makineleri Özel Temizleme Sıvısı

Özel Temizleme Sıvısı, **Nano teknoloji** ile üretilmiş olup, partikül filtresinin 1mm genişliğindeki kanallarına nüfus ederek tıkanmaya neden olan partiküllerin **%100'e yakın bir oranda** çözülmesini sağlamaktadır. **Orjinal sistemini bozmadan** makineye monte edilen partikül filtresine herhangi müdahalede bulunulmadığı gibi temizleme sıvısı da partikül filtresine ileride oluşabilecek **hiç bir zararlı etkiye** bulunmamaktadır.

PTM DPF temizleme makineleri, bu özel temizleme sıvı ile birlikte koordineli çalışacak şekilde tasarlanmış olup farklı bir temizleme malzemesi kullanılamamaktadır. Özel temizleme sıvısını istediğiniz zaman **uygun koşullarda** firmamızdan **güvenle temin** edebilirsiniz.



► PTM Makineleri Hata Mesajları

❗ Sıvı Basıncı Düşük

- Temizleme Sıvısı bidonundan gelen elektrik jakının çıkmış veya musluğun kapalı olduğuna dair mesaj.

❗ Sıvı Seviyesi Düşüyor

- Temizleme sıvısının azaldığını gösteren mesaj.

❗ Sıvı Bitti, Sıvı İlavesi Yapın

- Temizleme sıvısı yüklemeniz gerekmektedir. Temizleme sıvısı yüklemeyen makine çalışmayacaktır.

❗ Hava Basıncı Düşük

- 4.5 barın altında hava basıncı olduğu yada hiç hava basıncının olmadığı durumlarda gelen mesaj.

❗ Su Basıncı Düşük

- 2.5 barın altında su basıncı olduğu yada şebeke suyunun kapalı olduğunu gösteren mesaj.

PTM DPF Temizleme Makineleri ile Partikül Filtresi Hatalarına Kesin Çözüm Bulursunuz!

From Turkey to the World Türkiye'den Dünya'ya

PTM4019

Works Successfully In 16 Countries

 Germany	 Denmark
 Austria	 Lithuania
 Switzerland	 Bulgaria
 France	 Albania
 Italy	 Azerbaijan
 Belgium	 Georgia
 Slovakia	 Mongolia
 Holland	 South Africa

PTM MAKİNE®

DPF (Particle), Catalyzer & Exhaust Systems Machine Manufacture

Address: Mimar Sinan Mah. Muhsin Yazıcıoğlu Cad. No:17 Çorum TURKEY
Phone: +90 364 212 23 70 Gsm/Whatsapp: +90 505 274 91 77
E-Mail: bilgi@ptm4019.com Web: www.ptm4019.com



BELGIUM PARTNER

Sindel Comm. V - Sercan Sindel
Chaussée de Charleroi 102 5070 Fosses La Ville
E-Mail: sales@ptm4019.be
GSM: +32 486 24 01 32

GERMANY PARTNER

Aystore - Caner Aydın
44379 Dordmund - GERMANY
E-Mail: germany@ptm4019.com
GSM: +49 170 353 47 61